कार्यारथन विकास

उत्तर प्रदेश पावर कारपोरेशन लिमिटेड

(उत्तर प्रदेश सरकार का उपक्रम) V.P. POWER CORPORATION LIMITED

(Govt. of Uttar Pradesh Undertaking)
CIN:U32201UP1999SGC024928

संख्या—2491—कार्य / चौदह—पाकालि / 2023—8(14)—के / 2023

दिनांकः || अक्टूबर, 2023

प्रबन्ध निदेशक, पूर्वान्चल / मध्यांचल / दक्षिणान्चल / पश्चिमांचल, विद्युत वितरण निगम लि0, वाराणसी / लखनऊ / आगरा / मेरठ, केस्को, कानपुर।

विषय : M/s Infinity Construction and Engineers, Barwala, Distt. Hisar, Haryana को Debar/ Blacklist किये जाने के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक Executive Engineer (CMD-I), CE/Rajiv Gandhi Thermal Power Plant, Khedar, Hisar. के पत्र सं0—Ch-126/RGTPP/CMD-I/F-669 Dtd. 08.09.2023 जो कि M/s Infinity Construction and Engineers, Barwala, Distt. Hisar, Haryana को Debar/Blacklist किये जाने के सम्बन्ध में हैं, का संदर्भ ग्रहण करें।

उपरोक्त पत्र की छायाप्रति प्रेषित करते हुए मुझे यह अनुरोध करने का निदेश हुआ है कि कृपया उक्त पत्र को संज्ञान में लेते हुए तद्नुसार कार्यवाही कराने का कष्ट करें।

संलग्नक:—यथोपरि।

भवदीय,

(सदानन्द) संयुक्त सचिव (ज0श0प्रशि0 एवं कार्य)

संख्या—2491—(I)—कार्य / चौदह—पाकालि / 2023 तद्दिनांक

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं अग्रेतर कार्यवाही हेतु प्रेषित :-

- 1. प्रबन्ध निदेशक, उ०प्र० पावर ट्रान्सिमशन कारपोरेशन लि०/राज्य विद्युत उत्पादन निगम लि०/उ०प्र० जल विद्युत निगम लि०, शक्ति भवन, लखनऊ।
- 2. निदेशक (का०प्र० एवं प्रशा० / वित्त / वितरण / वाणिज्य / कार्पोरेट प्लानिंग), उ०प्र० पावर कारपोरेशन लि0, शक्ति भवन, लखनऊ।
- 3. Executive Engineer (CMD-I), CE/Rajiv Gandhi Thermal Power Plant, Khedar , Hisar, C-7, Urja Bhawan Sector-6, Panchkula को उनके पत्र सं0—Ch-126/RGTPP/ CMD-I/F-669 Dtd. 08.09.2023 के सन्दर्भ में।
- 4. अधिशासी अभियन्ता (वेब), कक्ष संख्या—407, उ०प्र० पावर कारपोरेशन लि०, शक्ति भवन विस्तार, लखनऊ को वेबसाइट—www.uppcl.org पर अपलोड करने हेत्।

संलग्नक:-यथोपरि।

(सदानन्द) संयुक्त सचिव (ज0श0प्रशि0 एवं कार्य)



RAJIV GANDHI THERMAL POWER PLANT, KHEDAR, HISAR (A UNIT OF HARYANA POWER GENERATION CORPORATION LIMITED)

An ISO: 9001, ISO: 14001 and OHSAS: 18001 Certified Company Regd. Office: C-7, Urja Bhawan, Sector-6, Panchkula

Corporate Identity Number: U45207HR1997SGC033517, website: www.hpgcl.org.in GST No. 06AABCH4536J1ZM, Email ID: xencmd1.rgtpp@hpgcl.org.in, Mob. No.7814688628

From

Chief Engineer, RGTPP, HPGCL

Khedar, Hisar.

M/s Infinity Construction and Engineers,

Barwaia, Distt. Hisar,

Haryana

GST No. 96AELPL3765L2ZZ PAN No. AELPL3765L

Kind attention:

Firm Proprietor : Sh. Sunder lal (Mob. No. 9896561057)

Memo No: Ch-126/RGTPP/CMD-I/F-669

Dated: 08.09.2023

Subject:

Debarring/Blacklisting of M/s Infinity Construction and Engineers, Barwala, Hisar for a specific period for non-compliance of labour laws and failing in providing services to

References:-

साधना भट्नाव

18191031

Work order No.3/Ch-39/XEN/CMD-1/RGTPP/2022-23/F-669, Dated 20.04.2022 1.

This office Email dated 12.04.2023 to your firm.

This office correspondence vide memo no. Ch-90/XEN/ CMD-I/RGTPP/ F-669 dated

24.04.2023.

This office correspondence vide memo no. Ch-91/XEN/ CMD-I/RGTPP/ F-669 dated 02.05.2023.

5. This office Email dated 11.05.2023 to your firm.

This office Email dated 12.05.2023 to your firm.

7. Your firm's undertaking 13.05.2023.

8. Your firm's undertaking 15.05.2023.

This office email dated 15.05.2023 to your firm. 9.

This office email dated 16.05.2023 to your firm.

This office email dated 19.05.2023 to your firm.

Show Cause Notice issued to your firm vide this office memo. no. 102/XEN/CMD-12. I/RGTPP/ F-669 dated 19.05.2023.

13. Notice for personal hearing given to your firm vide this office memo. no. 106/XEN/CMD-I/RGTPP/ F-669 dated 25.05.2023.

Personal hearing given by Project SPC to your firm's proprietor on dated 29.05.2023.

Final warning letter dated 02.06.2023 issued to your firm vide this office memo. no. 107/XEN/CMD-I/RGTPP/ F-669 dated 02.06.2023.

उत्तर प्रदेश पावर कारपेंधिन वििकांs office email dated 15.06.2023 to your firm.

This office correspondence vide memo no. Ch-121/XEN/CMD-I/RGTPP/ F-669 dated 21.07.2023

In reference to above, your firm was issued the work order for the work of cleaning of drains and sweeping of roads, paths and cleaning of trash rack at CW pump house, cooling tower, raw water pump house, cleaning of splash nozzles/End plugs/walkway, stairs, railing etc. and work of 24 X 7 water supply in plant and non-plant buildings at RGTPP, Khedar vide work order No.3/Ch-39 /XEN/CMD-1/RGTPP/2022-23/F-669,Dated 20.04.2022 for the period from 01.04.2022 to 31.03.2023 extendable by 3 Months. The Contract was extended from 01:04.2023 to 31.07.2023 (3 Months) on the same rate and terms and conditions.

On 11.05.2023, a complaint was filed to ALC, Hisar by the contractual workers engaged by your firm against the said work order regarding the nonpayment of wages, EPF, ESI and

सर्वThe firm was held responsible for:-

(सी0 पी0 यादव)

अपर सचिव-ग्रथम

(पंकज कुमा^{1,5}) प्रबन्ध निदेशक

- A) Violation of labor laws as the firm has not paid the wages to workers for long time and has not paid wages to workers within 7 days of completion of wage month as per payment of wages act, 1936.
- B) Violation of EPF Act as the firm has failed to submit the proof of deposition of EPF.
- C) The firm has failed to provide the services stipulated in the work order timely to HPGCL.
- D) Failure in compliance of undertaking given twice by the firm at the time of submission of Bills regarding submission of EPF, ESI, LWF, wages proof.

A show cause notice was issued to your firm vide this office memo. No. 102/XEN/CMD-I/RGTPP/ F-669 dated 19.05.2023 to explain in writing that why the firm be not blacklisted for violation of labor laws and non-compliance of undertaking given by the firm. But your firm did not submit any reply to the show cause notice and thereafter, an opportunity of personal hearing was granted to your firm on 29.05.2023 before the Project SPC. During the hearing, the following points were observed by the Project SPC:-

- A) The performance of the firm is very poor against the said work order.
- B) The contractor has default in timely payment of wages to the workers and compliance of various statutory laws.
- C) Firm has not provided equipment / non completion of works within stipulated period.
- D) The firm has provided JCB only for 867 hours out of 2100 hours which is just 42.24% of the obligations to be made by the firm as per the work order.
- E) Failure in compliance of undertaking given by the firm at the time of submission of bills on dated 27.01.2023 and 15.05.2023 regarding submission of EPF, ESI, LWF, wages proof & attendance sheet etc.

Project SPC issued final warning to the firm and directed to comply all the statutory requirements immediately and improve their performance with immediate effect. Firm was also directed to submit the documentary evidences of all the statutory compliances up to 03.06.2023 as requested by the firm but the firm failed to submit the documentary evidence of statutory compliances.

Looking to the all above facts HPGCL has given enough/sufficient chance/ time to firm. HPGCL considers that the firm has violated Clause no. 9, 16, 31 and 35 of W.O. No. 3/Ch-39/XEN/CMD-1/RGTPP/2022-23/F-669 dated 20.04.2022 and also failed to meet its commitment to submit required compliances. In consideration of the above facts, HPGCL decides as under:-

- A) To debat/blacklist the firm M/s Infinity Construction and Engineers, Barwala for a period of two years for doing further business with HPGCL.
- B) To reject the firm from participating in HPGCL tenders which are under process and have not yet matured.
- C) Not to release the Security deposits of the firm within HPGCL until it clear all the statutory requirements as per work order and its terms & conditions.

This is without any prejudice to HPGCL's rights in terms of the tender and otherwise.

Executive Engineer / CMD-I for CE/RGTPP, HPGCL, Khedar, Hisar

Endst. No.372/RGTPP/CMD-I/Disp.

Dated: 08.09.2023

Copy of above is forwarded for information & necessary action to the following:-

- 1. The Managing Director, HVPN, Shakti Bhawan, Sector-6, Panchkula.
- 2. The Managing Director, UHBVNL, Vidyut Bhawan, Sector-6, Panchkula.
- The Managing Director, DHBVNL, Vidyut Sadan, Hisar.
- 4. The Chairman, Punjab State Power Corporation Ltd. The mall, Patiala-147001.
- 5. The Chairman, Himachal Pradesh, State Electricity Board, Vidyut Bhawan, Shimla-171002.
- 6. The Managing Director, Uttranchal Power Corporation Ltd. The Mall, Dehradun.
- 7. The Chairman North Delhi Power Ltd. Grid Sub Station Building, Kingsway Camp, New Delhi-110009.
- The Chairman Delhi Transco Ltd. Shakti Bhawan, Kotla Road, New Delhi.
- 9. The Chairman Jodhpur Vidyut Vitran Nigam Ltd. New Power House, Industrial Area, Jodhpur.
- 10. The Chairman Ajmer Vidyut Vitran Nigam Ltd. Vidyut Sadan, Hathi Bhata, Ajmer-305001.
- The Chairman, J&K State Electricity Board, Jammu.
- 12. The Chairman, UP Power Corporation Ltd. Shakti Bhawan, 14, Ashok Marg, Lucknow-226001.
- 13. The Chairman Rajasthan Vidyut Prasaran Nigam Ltd. Vidyut Bhawan, Vidyut Marg, Jaipur.
- 14. The Secretary Rajasthan Rajya Vidyut Prasaran Nigam Ltd. Vidyut Bhawan, Jyoti Nagar, RC Dane Marg, Jaipur-302005.
- 15. Chairman & Managing Director, Central Power Distribution Company of Andhra Pradesh Ltd. Hyderabad.
- MD ali State Power Utilities in Gujarat.
- 17. The Chairman Bihar State Electricity Board, Patna.
- The Chairman Tamil Nadu State Electricity Board, Chennai.
- The AD all State Utilities in West Bengal.
- 20. The Chairman / MD State Power Utility in Karnataka.
- 21. The Chairman / MD State Power Utility in Jharkhand.
- 22. The Chairman / MD State Power Utility in Chhattisgarh.
- 23. The Chairman / MD State Power Utility in Kerala.
- 24. The Chairman / MD State Power Utility in Assam.
- 25. The Chairman / MD State Power Utility in Nagaland.
- 26. The Chairman / MD State Power Utility in Tripura.
- 27. The Chairman / MD State Power Utility in Manipur.
- 28. The Chairman / MD State Power Utility in Arunachal Pradesh.
- 29. The Chairman / MD State Power Utility in Meghalaya.
- 30. The Chairman / MD State Power Utility in Sikkim.
- 31. Office of Executive Engineer CWCD-IV, UP Rajya Vidyut Utpaden Nigar Ltd. 2x210 MW Parichha Thermal Power Project, Parichha (Jhansi).
- Office of Executive Engineer Control & Instrumentation, Division-III, UP Rajya Vidyut Utpaden Nigar
 Ltd. 2x210 MW Parichha Thermal Power Project, Parichha (Jhansi).
- 33. The Secretary, BBMB, Sec-19, Chandigarh.
- 34. The Chairman, NTPC.

Executive Engineer/CMD-I

for CE/RGTPP, HPGCL, Khedar, Hisar